



In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.

STATUTORY DECLARATION
Registration of Fittings

I, LESLIE MANSFIELD, MGR., QUALITY ASSURANCE AND TECHNICAL SERVICES (company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority) of TRI-LAD FLANGE AND FITTINGS INC (name of manufacturer) located at 30 WOODSLEE AVENUE, PARIS, ONTARIO N3L 3V1 (plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one) ASME/ANSI B16.5, ASME/ANSI B16.36, ASME/ANSI B16.47 [ ] comply with the requirements of (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or [ ] are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, QMI as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are CATEGORY B

In support of this application, the following information, calculations and/or test data are attached: TRI-LAD CATALOGUE FL-00 including Appendix B

DECLARED before me at BRANTFORD in the PROVINCE of ONTARIO this 23rd day of SEPTEMBER, 2004 (Month) (Year) (print) STEVEN P. PROTELLI, SOLICITOR (sign) (A Commissioner for Oaths) (Signature of Applicant)

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category B

Registration Number: 030718 92 Date Registered: DEC 14 2004 (For the Administrator/Chief Inspector of Alberta) Expiry Date: Oct. 1, 2014

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline



88 6th Street  
New Westminster, B

Phone: (604) 3  
Toll Free: 1-866/  
Fax: (604) 3  
www.safetya

TECHNICAL STANDARDS & SAFETY AUTHORITY

FWANCE

2005 JAN -3 P 12: 05

Date: December 15,  
Account #: 35231  
Journal #: 35629  
Our File #: 2886333

TECHNICAL STANDARDS & SAFETY AUTHORITY  
4TH FLOOR WEST TOWER-3300 BLOOR STREET W  
TORONTO ON M8X 2X4

**Attn:** EVA IZZO/TANYA COOPER

**Re:** Application for Design Registration

The design, as detailed in your, REF: 0B0718.95 (TRI-LAD FLANGE), for a Fitting is accepted for registrat follows:

**Registered To:** TRI-LAD FLANGE & FITTINGS INC **CRN:** 0B0718.951

**Drawing #:** Catalogue

**Conditions Of Registration:**

This CRN is issued to reflect the change in address from Brantford, Ontario to 30 Woodslee Avenue Ontario.  
Scope of registration remains same as specified on the original CRN 0B0718.91 under our journal # 2002/05/10.

**Reviewer's Notes:**

TSSA registered Address Change with CRN 0B0718.95 ADD3 on 2004/11/1

	<u>Amount</u>	<u>GST</u>	<u>Total</u>
Total fee for reviewing your design:	\$91.00	\$0.00	\$91.00
Amount received with submission:	\$0.00		

An invoice for \$91.00 will follow.

Contact me if you have any questions.

SUBHASH GUPTA  
(604) 660-6239

Amount Due	Due Date	Grand Total
TOTAL DUE		



**BOILERS AND PRESSURE VESSELS  
SAFETY DIVISION**  
3300 Bloor Street West  
4th Floor, West Tower  
Toronto, Ontario  
CANADA M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will fitting, in the space below

**STATUTORY DECLARATION  
Registration of Fittings**

I, LESLIE MANSFIELD, MGR QUALITY ASSURANCE AND TECHNICAL SERVICES  
(Name & Position, e.g. President, Plant Manager, Chief Engineer)

of TRI-LAD FLANGE AND FITTINGS INC  
(Name of Manufacturer)

Located at 30 WOODSLEE AVE, PARIS ONTARIO, N3L 3V1, 519-442-6520, 519-442-7658  
(Plant Address) (Telephone #) (Fax #)

- do solemnly declare that the fittings listed hereunder, which are subject to the Technical Standards and Safety Act 2000, and Regulations for Boilers and Pressure Vessels comply with all of the requirements of ASME/ANSI B16.5, ASME/ANSI B16.36, ASME/ANSI B16.47  
(Title of recognized North American Standard)  
which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;
- or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9000:2000 which has been verified by the following authority, OMI  
\_\_\_\_\_. The items covered by this declaration, for which I seek registration, are category B type fittings. In support of this application, the following information and/or test data are attached as follows:  
TRI-LAD CATALOGUE CAT FL-00 including Appendix B  
(drawings, calculations, test reports, etc.)

Declared before me at BRANTFORD in the PROVINCE of ONTARIO  
the 23<sup>rd</sup> day of September AD 2004.

Commissioner for Oaths:  
STEVEN R. FORTELLI, SOLICITOR  
(Printed name)

[Signature]  
(Signature)

[Signature]  
(Signature of Declarer)

**FOR OFFICE USE ONLY**

To the best of my knowledge and belief, the application meets the requirements of the Technical Standards and Safety Act, 2000, and Regulations for Boilers and Pressure Vessels and CSA Standard B51 and is accepted for registration in Category \_\_\_\_\_

CRN: \_\_\_\_\_  
Registered by: \_\_\_\_\_  
Dated: \_\_\_\_\_

NOTE: This registration expires on Dec. 13, 2014

Registration stamp from TSSA:  
 TECHNICAL STANDARDS AND SAFETY AUTHORITY  
 3300 BLOOR STREET WEST  
 TORONTO, ONT. (416) 247-3000  
 REGISTERED  
 U.R.N. CSA-0B0718.96A03  
 Issued: B. Repel  
 Date: Dec. 14, 2004

\* THIS IS ADDRESS CHANGE ONLY

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LAB

MANUFACTURERS NAME: TRI-LAD FLANGE AND FITTINGS INC

MANUFACTURERS ADDRESS: 30 WOODSLEE AVENUE

PLANT LOCATIONS: PARIS ONTARIO, N3L 3V1

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1  Class 2  Class 3  (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CON

ASME/ANSI B16.  
ASME/ANSI B16.  
ASME/ANSI B16.

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

TRI-LAD LOGO ENCIRCLED CLOVER PER APPENDIX A  
TRI-LAD CATALOGUE CAT FL-00

TYPE OF CONSTRUCTION

FORGED  WELDED  WROUGH  
CAST  OTHER   
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

TRI-LAD FLANGE AND FITTINGS CATALOGUE CAT FL-00 including APPENDIX B

DECLARATION:

LES MANSFIELD (see note 3) employed by TRI-LAD FLANGE AND FITTINGS INC and being the person having full author-  
responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the b-  
ny knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure  
emperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the  
manufacturer of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in w-  
r in part and has been verified by QMT as being suitable for that purpose and I make this solemn  
eclaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
Declared before me at BRANTFORD, ONTARIO  
on 25 day of SEPTEMBER AD 2004  
Commissioner of Oaths  
Notary Public (sign): [Signature]



(Affix Official seal to the right) STEVEN P. ROSELLI, PROVINCE OF NB  
DEPT. OF PUBLIC SAFETY  
BOILER & PRESSURE VESSEL ACT

RN: OB0718.9 R.2  
D#: 872

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.

REGISTRATION ONLY  
CRN OB0718.97 R

EXAMINER: Dale E. Ross  
for  
CHIEF BOILER INSPECTOR

DATE: Sept 30, 2004

BLRs  PV's  
 FITTINGS  COMPONENTS

sect. 1.0 - Fittings Rev. 1 06/2003

Notes:  
All fittings shall be registered in the name of the Manufacturer.  
Each category shall be supported with two Statutory Declaration  
ns and one copy of supporting documentation.  
The declaration shall be made by the person having full authority and  
ponsibility for the quality of the end product.  
Quality control programs shall be resubmitted for validation  
maximum interval of five (5) years.

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>TRI-LAD FLANGE AND FITTINGS INC</b>	
MANUFACTURERS ADDRESS: <b>30 WOODSLAKE AVENUE</b>	
PLANT LOCATIONS: <b>PARIS ONTARIO, N3L 3V1</b>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b> <input checked="" type="radio"/> Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> Flanges: all flanges <input type="radio"/> Valves: all line valves <input type="radio"/> Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> Strainers, filters, separators, and steam traps <input type="radio"/> Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> Pressure retaining components that do not fall into one of the above categories <input type="radio"/> Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b> ASME/ ANSI B16.5 ASME/ANSI B16.36 ASME/ANSI B16.47
<b>SHOW MANUFACTURERS NAME TRADEMARK OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b> TRI-LAD LOGO ENCIRCLED CLOVER PER APPENDIX A TRI-LAD CATALOGUE CAT FL-00	
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b> TRI-LAD FLANGE AND FITTINGS CATALOGUE CAT FL-00 including APPENDIX B	

**DECLARATION:** I, STEVEN MANSFIELD Director of TRI-LAD FLANGE AND FITTINGS INC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings and identification markings are in accordance with the herein named standards. I further declare that the manufacturing process for fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part. I am satisfied by QMT as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

*[Signature]*  
 Director  
 TRI-LAD FLANGE AND FITTINGS INC  
 2004

USE THIS SPACE FOR THE OFFICIAL SEAL

(Affix Official seal to the right) STEVEN MANSFIELD, SOLE AGENT

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance CRN: <u>0B0718.9 R.2</u> FID#: <u>872</u> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	<b>GOVERNMENT OF NEWFOUNDLAND AND LABRADOR</b> Department of Government Services and Lands Registered <u>0B0718.90 R.2</u> Date <u>10/06/2004</u> Registered by <i>[Signature]</i> <b>GOVERNMENT SERVICE CENTRE</b> Engineering Services UNDER AUTHORITY OF THE BOILER PRESSURE AND COMPRESSION GAS REGULATIONS
--	--



NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>TRI-LAD FLANGE AND FITTINGS INC</b>	
MANUFACTURERS ADDRESS: <b>30 WOODSLEE AVENUE</b>	
PLANT LOCATIONS: <b>PARIS ONTARIO, N3L 3V1</b>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b> <input checked="" type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, T's, plugs, unions, pipe caps, or reducers <input type="checkbox"/> B Flanges: all flanges <input type="checkbox"/> C Valves: all line valves <input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="checkbox"/> E Strainers, filters, separators, and steam traps <input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, towers, or pressure transmitters <input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b>  ASME/ANSI B16.3 ASME/ANSI B16.36 ASME/ANSI B16.47
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>  <b>TRI-LAD LOGO ENCIRCLED CLOVER PER APPENDIX A</b> <b>TRI-LAD CATALOGUE CAT FL-00</b>	<b>TYPE OF CONSTRUCTION</b> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>  <b>TRI-LAD FLANGE AND FITTINGS CATALOGUE CAT FL-00 including APPENDIX B</b>	

**DECLARATION:**

**TRI-LAD FLANGE AND FITTINGS INC**

I, LES MANSFIELD, (as and/or) employed by TRI-LAD FLANGE AND FITTINGS INC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacturing process of the fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part. I am certified by QMT as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

*(Signature)*  
LES MANSFIELD  
2004  
2004

USE THIS SPACE FOR THE OFFICIAL SEAL

This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>080718-9 R.2</u> FID#: <u>872</u> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	<b>NUNAVUT</b> Boilers and Pressure Vessels Act  <b>REGISTERED</b> CRN <u>080718-9N R.2</u> Date <u>4 Oct 2004</u> Signed <u>C. Bachellier</u> Chief Inspector - Fittings Rev. 1 06/2003
--	--

FROM ACI CENTRAL

(THU) SEP 30 2004 11:32/ST. 11:26/NO. 634016324

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>TRI-LAD FLANGE AND FITTINGS INC</b>	
MANUFACTURERS ADDRESS: <b>30 WOODSLEE AVENUE</b>	
PLANT LOCATIONS: <b>PARIS ONTARIO, N3L 3V1</b>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b> <input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input checked="" type="checkbox"/> B Flanges: all flanges <input type="checkbox"/> C Valves: all line valves <input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="checkbox"/> E Strainers, filters, separators, and steam traps <input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNRC or ASME requirements)	
<b>TITLE OF THE STANDARD OR CODE TO WHICH</b> ASME/ ANSI B16.5 ASME/ANSI B16.36 ASME/ANSI B16.47	
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b> TRI-LAD LOGO ENCIRCLED CLOVER PER APPENDIX A TRI-LAD CATALOGUE CAT FL-00	
<b>TYPE OF CONSTRUCTION</b> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b> TRI-LAD FLANGE AND FITTINGS CATALOGUE CAT FL-00 including APPENDIX B	

**DECLARATION:**

**TRI-LAD FLANGE AND FITTINGS INC**

I, LKS MANSFIELD (see note 2) employed by TRI-LAD FLANGE AND FITTINGS INC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacturing process for fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part. I am duly certified by QNT as being suitable for that purpose and I make this solemn declaration truthfully believing it to be true, and knowing that it is of the same force and effect as if made under oath.

*[Signature]*  
LKS MANSFIELD  
 QNT  
 AD 2004

USE THIS SPACE FOR THE OFFICIAL SEAL

(Affix Official seal to the right) STEVEN P. PINNELL, REGISTRAR

This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance. **\$50.00**

CRN: 0B0718.9 R-2  
 FID#: 872

**REGISTERED**  
 UNDER THE AUTHORITY OF  
 THE BOILER AND PRESSURE  
 VESSEL ACT  
 C.R.N. 0B0718.9 R-2  
 SIGNED [Signature]  
 DATE Sept 30, 04 Part 1, Fittings Rev. 1 06/2003

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



**BOILERS AND PRESSURE VESSELS  
SAFETY DIVISION**  
3300 Bloor Street West  
4th Floor, West Tower  
Toronto, Ontario  
CANADA M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will fitting, in the space below

**STATUTORY DECLARATION  
Registration of Fittings**

I, LESLIE MANSFIELD, MGR QUALITY ASSURANCE AND TECHNICAL SERVICES  
(Name & Position, e.g. President, Plant Manager, Chief Engineer)  
of TRI-LAD FLANGE AND FITTINGS INC  
(Name of Manufacturer)  
Located at 30 WOODSLEE AVE, PARIS ONTARIO, N3L 3V1, 519-442-6520, 519-442-7658  
(Plant Address) (Telephone #) (Fax #)

do solemnly declare that the fittings listed hereunder, which are subject to the Technical Standards and Safety Act, 2000, and Regulations for Boilers and Pressure Vessels comply with all of the requirements of ASME/ANSI B16.5, ASME/ANSI B16.36, ASME/ANSI B16.47  
(Title of recognized North American Standard)  
which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9000:2000 which has been verified by the following authority, QMI  
The items covered by this declaration, for which I seek registration, are category B type fittings. In support of this application, the following information and/or test data are attached as follows:  
TRI-LAD CATALOGUE CAT FL-00 including Appendix B  
(drawings, calculations, test reports, etc.)

Declared before me at BRANTFORD in the PROVINCE of ONTARIO  
the 23<sup>rd</sup> day of SEPTEMBER AD 20 04.

Commissioner for Oaths:  
STEVEN P. PORTELLI, SOLICITOR  
(Printed name)  
  
(Signature)

(Signature of Declarer)

**FOR OFFICE USE ONLY**

To the best of my knowledge and belief, the application meets the requirements of the Technical Standards and Safety Act, 2000, and Regulations for Boilers and Pressure Vessels and is accepted for registration in Category B.

CRN: OB0718.95 ADD3  
Registered by: Carlos Dyrco  
Dated: 2004/11/1

NOTE: This registration expires on Dec 4, 2013

This is address change only.

**Technical Standards and Safety Authority**      **Boilers and Pressure Vessels Safety Division**

REGISTERED

CRN.: OB 0718.95 ADD3

Signed:   
Date: 2004/11/1

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>TRI-LAD FLANGE AND FITTINGS INC</u>	
MANUFACTURERS ADDRESS: <u>30 WOODSLEE AVENUE</u>	
PLANT LOCATIONS: <u>PARIS ONTARIO, N3L 3V1</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY <input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME7 ANSI B16.5 ASME/ANSI B16.36 ASME/ANSI B16.47
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
TRI-LAD LOGO ENCIRCLED CLOVER PER APPENDIX A TRI-LAD CATALOGUE CAT FL-00	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
TRI-LAD FLANGE AND FITTINGS CATALOGUE CAT FL-00 including APPENDIX B	

**DECLARATION:** TRI-LAD FLANGE AND FITTINGS INC

I, I.E.S. MANSFIELD (see note 3) employed by TRI-LAD FLANGE AND FITTINGS INC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacturer of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by QMT as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at: BRANTFORD, ONTARIO  
 This: 25 day of SEPTEMBER AD 2004  
 Commissioner of Oaths or Notary Public (sign): [Signature]

USE THIS SPACE FOR THE  
OFFICIAL SEAL

(Affix Official seal to the right) STEVEN P. PIRRELLI, SOLICITOR

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0B0718.9 R.2  
 FID#: 872

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

PROVINCE OF PRINCE EDWARD ISLAND  
 DEPT. OF PROVINCIAL AFFAIRS  
 C.R.N. 0B0718.9  
 DATE: Oct 1, 2004  
[Signature]  
 INSPECTION SERVICES DIVISION  
 BOILER/PRESSURE VESSEL REGISTRATION

Section 101(1) Reg. 1 06/2003

NEW BRUNSWICK  
NLNAVJUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>TRI-LAD FLANGE AND FITTINGS INC</b>	
MANUFACTURERS ADDRESS: <b>30 WOODSLEE AVENUE</b>	
PLANT LOCATIONS: <b>PARIS ONTARIO, N3L 3V1</b>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
<input checked="" type="radio"/> <b>A</b> Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> <b>B</b> Flanges: all flanges <input type="radio"/> <b>C</b> Valves: all line valves <input type="radio"/> <b>D</b> Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> <b>E</b> Strainers, filters, separators, and steam traps <input type="radio"/> <b>F</b> Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> <b>G</b> Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> <b>H</b> Pressure retaining components that do not fall into one of the above categories <input type="radio"/> <b>N</b> Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b>  ASME/ ANSI B16.5  ASME/ANSI B16.36  ASME/ANSI B16.47
<b>SHOW MANUFACTURERS NAME, TRADEMARK OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>	
TRI-LAD LOGO ENCIRCLED CLOVER PER APPENDIX A TRI-LAD CATALOGUE CAT FL-00	
<b>TYPE OF CONSTRUCTION</b>	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>	
TRI-LAD FLANGE AND FITTINGS CATALOGUE CAT FL-00 including APPENDIX B	

**DECLARATION:**

**TRI-LAD FLANGE AND FITTINGS INC.**

I, LES MANSFIELD (person or person employed by) and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings and identification markings are in accordance with the herein named standards. I further declare that the manufacturing process is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part. I am certified by QMT as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

*(Signature)*  
LES MANSFIELD, MANAGER  
NUMBER AD 2014  
 Notary Public

USE THIS SPACE FOR THE OFFICIAL SEAL

(Affix Official seal to the right) STEVEN P. POZZELLI, SOLICITOR

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of issuance.

CRN: OB0718-9 R.2

FID#: 872

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF YUKON  
 BY Debra  
 CRN OB0718.9V  
 DATE 09/30/04  
 BOILERS BRANCH

Sect. 1.0 - Fittings Rev. 1 05/2003